

VENTO QUATRO

VENTO SERIES



SPECIFICATIONS

- Large format three-way active line array system.
- Includes one 15" neodymium low mass loudspeaker of high magnetic strength and big thermal dissipation.
- Includes two 8" neodymium low mass loudspeakers of high magnetic strength and big thermal dissipation.
- Includes two 1.4" neodymium compression driver coupled to a W&dB wave guide.

The VENTO QUATRO is a new concept in line array systems. It is the first design with a continuous front surface built with 3D technology. Its entire front works as a large diffuser with conical and elliptical surfaces joined at the outputs of the waveguides, mid and bass, thus controlling the directivity in the high frequency range.

The midrange has a conical horn that joins the high diffusers avoiding diffraction problems.

TECHNICAL DATA	VENTO QUATRO		
Transducers	1X 15"/ 2 X 8"/ 2 X 1,4"	Enclosure Geometry	Trapezoidal
Coverage	100° Horiz. x 7° Vertical	Angle adjustment	0, 5° to 0, 5°
Nominal impedance	LF 8Ω - MF 16Ω - HF 16Ω	Dimensions (WxHxD)	1145 x 460 x 595 mm
Power AES	2060W	Enclosure Material	Birch Plywood 18 mm
Maximun Peak SPL	148dB SPL	Rigging	Steel & Aluminium
Frequency Range	30 Hz to 20 kHz	Finish	Polyurea
Sensibility (1W@ 1m)	1w@1m: 103dB	Colour	Black
Weigth	85 Kg	Connections	2 x Speakon NL8

